

Multi P + BOX



NULAMP






NULAMP



NULAMP





Wide, surface mounted high power LED plafond, available with box designed for power supply and wiring.

Energy-efficient linear LED lighting, with mounted two or more parallel light lines, designed for easy ceiling mounting with special springs. A specially designed MULTI cover (opal glass or transparent) made of polycarbonate, has a certificate that guarantees excellent resistance to atmospheric factors, UV radiation and flammability.

Lamps of different lengths and wide range of application possibilities are available. MULTI is a utility lamp that can be used as industrial lighting, large office luminaire (100cm or more) and modern LED lighting for home and functional interiors (50cm).

- Ceiling lamps: **double anodized aluminium** – grey, can be painted in any colour from the NCS scale.
- Optional transparent blend (glass efficiency 95%), or opal glass (glass transparency 70%): Makrolon®, of Bayer Polymers, **full certification**.

- Highest quality LED **OSRAM DURIS** E5 diodes.
- Control: **Dali, 1-10V, KNX, Fibaro**.
- Luminaires design enables **easy maintenance and replacement of light sources**.
- Lamps with a light source were produced in the **European Union**.
- Possibility to **modify a set of lamps for specific customer expectations** (size, colour housing, light colour, type of light source: RGB, RGBW, active white) - [UDESIGN custom](#).

3 Year warranty	Length [cm]	Power [W]	Luminous flux [lm]	Colour temperature [K]	CRI [Ra]
MULTIP+BOX 50-33-___	50	33	3150 / 3525 / 3600	3000 / 4000 / 5000	>80
MULTIP+BOX 100-66-___	100	66	6300 / 7050 / 7200	3000 / 4000 / 5000	>80
MULTIP+BOX 150-99-___	150	99	9450 / 10575 / 10800	3000 / 4000 / 5000	>80
5 Year warranty	Length [cm]	Power [W]	Luminous flux [lm]	Colour temperature [K]	CRI [Ra]
MULTIP+BOX 50-19.5-___	50	19,5	1860 / 2085 / 2130	3000 / 4000 / 5000	>80
MULTIP+BOX 100-39-___	100	39	3720 / 4170 / 4260	3000 / 4000 / 5000	>80
MULTIP+BOX 150-58.5-___	150	58,5	5580 / 6255 / 6390	3000 / 4000 / 5000	>80
MULTIP+BOX 200-79-___	200	79	7440 / 8340 / 8520	3000 / 4000 / 5000	>80

LAMP NAME- 100 - 13 - 3000- M - DALI

1

2

3

4

5

1. Length [cm]

50, 100, 150, 200, 300 cm
special order - 10-300 cm

2. Power [W]

13 W/m
22 W/m
special order - others

3. Colour temperature [K]

3000 K - warm
4000 K - neutral
5000 K - cold
special order - 2700K, 6000K

4. Cover

T - transparent
M - milk/frosted

5. Control

Fibaro
1-10 V
Dali
KNX